



*Long Life for  
High Performance .....*



**≡ M.N.T ≡**

**TYRES & TUBES**

# COMPANY PROFILE

**M.N.T** was established in year 2006 continuously growing and achieving since the establishment with the support of its team those who are highly motivated & digital innovative.

"Make in India" is the real inspiration of it's young team

In the journey of Business in last 16 years, **M.N.T** got its strong presence in more than 40+ countries.

Our priority is to build relation from client by serving them the best advanced technology equipment's.

Our major concerns are good quality, reliability of customers, to gain their trust and so, on best pricing. We are recognized brand in terms of stride towards good quality, and customer satisfaction.



 CAPEXL 04, 4TH FLOOR, VANDANA BUILDING II, TOLSTOY MARG, NEW DELHI CENTRAL DELHI, DELHI, 110001 Email - <a href="mailto:caexl@caipr.org">caexl@caipr.org</a> , <a href="mailto:caexl@caipr.org">caexl@caipr.org</a> , <a href="mailto:caexl@caipr.org">caexl@caipr.org</a> Website - <a href="http://caipr.org">http://caipr.org</a>			
<b>REGISTRATION - CUM - MEMBERSHIP CERTIFICATE</b>			
Name of the exporter	MNT RUBBER LLP		
IC Number	ABUFGAN	PAN	ABUFGAN
Date of Birth / Incorporation	14/08/2022		
Address of the Registered Head Office	H NDA, First Floor, Office No. 3 & 4 Indraprastha Extension DELHI, 110092, EAST DELHI, DELHI		
Nature of Company	Limited Liability Partnership		
Designation of goods services for which registered	Automotive Tyre Tubes, Tyre Tubes Flaps, Tyre Flaps of Rubber		
Registration Number	BCCM-CAPEXL/0014/2022-2023		
Issued against File Number	BCCM-CAPEXL/0014/2022-2023		
Registered as	Merchant Exporter		
Name of the Registrar	Nishant Kumar		
Particulars of Certificate			
This certificate is issued as per the details of our records and is subject to the conditions laid down in the relevant schedule of registration of this context.			
Issue Date	24/08/2022	Valid upto	31/03/2023
Additional Remarks from Registering Authority approved			
Note: Refer DGFT Website (Overview) View IEC Related Details View any IEC's for IEC Branch and Director details.			
			Signature Not Verified
			Digital Signature Name: Nishant Kumar Name: Nishant Kumar Name: Nishant Kumar Name: Nishant Kumar Location: CAEXL, CAEXL






This is to certify that the management system of

**MNT RUBBER LLP**

has been formally assessed by  
**INTERNATIONAL CERTIFICATION & INSPECTION UK LTD.**  
and found to comply with the requirements of

**ISO 9001:2015**  
(Quality Management Systems)

Scope of Registration:  
SUPPLIER AND EXPORTER OF TYRE TUBES & FLAPS.

Registered Site (s):  
First Floor, Office No 3 & 4 H No 4, , Indraprastha Extension,  
New Delhi, East Delhi, Delhi- 110092, INDIA.

:: Certificate No :: **ICI/2346719/22**

Date of initial registration:	24 August 2022
First Surveillance Audit on or before:	24 July 2023
Second Surveillance Audit on or before:	24 July 2024
Re-certification Due:	23 August 2025

This Certificate is property of ICI UK Ltd. and remains valid  
subject to satisfactory surveillance audits.

*Peter Collins*  
Ex. Director  
International Certification & Inspection UK Limited.  
Kemp House, 190 City Road, London EC2Y 8RL United Kingdom

To check validity of the certificate please visit at [www.ici-uk.co](http://www.ici-uk.co)

This certification of registration is issued by International Certification & Inspection UK Limited  
accredited with Accreditation Board for Certification bodies (number 06-01-013). This certificate remains the property  
of International Certification & Inspection UK Limited and must be returned upon request.

# OFF THE ROAD (OTR) TYRES



**MNT - E3, L3**



**MNT - G2**



**MNT - L2**



**MNTR - 4**

Size	Ply Rating	Pattern	Rim Width (Inch)	CSW (mm)	OD (mm)	IP BAR	Cap load(kgs)
13.00-24	14	MNTG-2	8	336	1282	3.25	3020
14.00-24	14	MNTG-2	8	362	1348	3.75	3400
16.9-24	12	MNTR-4	15	440	1310	2.6	3250
17.5L-24	12	MNTR-4	15	445	1270	2.7	3450
19.5L-24	12	MNTR-4	17	490	1325	2.3	3450
16.9-28	12	MNTR-4	15	440	1410	2.6	3550
18.4-26	14	MNTR-4	16	472	1425	2.9	4375
15.5-25	12	MNT-L2	12	395	1275	2.25	2650
17.5-25	14	MNT-L2	14	445	1350	2.25	3080
17.5-25	16	MNT-L2	17	520	1490	2.25	4000
23.5-25	20	MNT-L2	19.5	595	1615	2	6000
20.5-25	20	MNT-E3/L3	17	520	1492	4.5	9500
23.5-25	24	MNT-E3/L3	19.5	595	1617	4.75	12500
1600-25	32	MNT-E3/L3	11.25/2.0	430	1490	650	12500
1800-25	40	MNT-E3/L3	13.00/2.5	495	1615	700	17000

\*Specification May Vary After Final Production.

\*Pr & Pattern May Different As Real.

\*Customize Size Welcome.

# AGRICULTURE TRACTOR FRONT TYRES



**MNTR - 999**



**MNT - TFJ**



**MNT - TFG**



**MNT - TF2**



**MNT - TF3**

Size	Ply Rating	Pattern	Rim width (inch)	CSW (mm)	OD (mm)	Type	IP BAR	Max load (kgs)
4.00-8	6	MNTR-999	3	114	425	TT	4.25	206
4.00-10	6	MNTR-999	6	145	505	TT	2.2	375
5.00-12	6	MNTR-999		127	545	TT	2.4	220
5.00-15	4	MNT-TF2	4	142	659	TT	2.8	365
6.50/8-12	6	MNTR-999						
5.50-16	6	MNT-TFGD	4	156	722	TT	3.7	525
5.50-16	6	MNT-TFJ	4	152	712	TT	3.7	525
5.50-16	6	MNT-TF2	4.5	172	748	TT	3.3	525
6.00-16	8	MNT-TFGD	5.5	203	819	TT	2.8	750
6.00-16	8	MNT-TFJ	5.5	209	807	TT	2.8	750
6.00-16	8	MNT-TF2	5.5	209	807	TT	3.7	875
6.50-16	6	MNT-TFJ	4.5	182	767	TT	3.1	615
7.50-16	8	MNT-TFGD	6	214	803	TT	4.15	870
7.50-16	8	MNT-TFJ	6	214	803	TT	4.15	870
7.50-16	8	MNT-TF2	6	214	803	TT	4.15	870
9.00-16	10	MNT-TF2	8	239	857	TT	3.9	1250
10.00-16	8	MNT-TF3	8	275	900	TT	2.8	1215
10.00-16	10	MNT-TF3	8	275	900	TT	3.4	1360
11.00-16	8	MNT-TF3	10	320	970	TT	2.5	1230
7.50-18	8	MNTR-999	5.5	210	862	TT	3.7	950
4.00-19	4	MNT-TF2	3	117	717	TT	2.4	355
6.00-19	6	MNT-TF2	4.5	169	817	TT	3.3	650
6.50-20	8	MNT-TF2	4.5	177	867	TT	3.1	730

\*Specification May Vary After Final Production.

\*Pr & Pattern May Different As Real.

\*Customize Size Welcome.



# AGRICULTURE TRACTOR REAR TYRES



**MNTR - 111**



**MNTR - 222**



**MNTR - 333**

Size	Ply Rating	Pattern	Rim Width(inch.)	CSW (mm)	OD (mm)	Type	Load Capacity Kg	IP BAR
7.50-16	8	MNTR-111	6	214	803	TT	1360	4.15
8.3-24	6	MNTR-111	W7	211	995	TT	825	2.4
9.5-24	8	MNTR-111	W8	241	1050	TT	1120	2.8
11.2-24	8	MNTR-111	10	286	1102	TT	1250	2.4
12.4-24	8	MNTR-111	11	316	1158	TT	1450	2.3
13.6-24	8	MNTR-111	12	347	1212	TT	1500	1.9
14.9-24	8	MNTR-111	13	379	1268	TT	1800	1.8
15.5/80-24	14	MNTR-111	13	394	1262	TT	3150	3.5
16.0/70-20	14	MNTR-111	14	418	1097	TT	2650	3.5
16.9-24	8	MNTR-111	15	431	1337	TT	2060	1.7
14.9-26	8	MNTR-111	13	378	1295	TT	1750	1.6
18.4-26	12	MNTR-111	16	467	1450	TT	3000	2.3
11.2-28	8	MNTR-222	10	284	1205	TT	1320	2.4
12.4-28	12	MNTR-222	11	318	1272	TT	1650	2.5
13.6-28	8	MNTR-222	12	345	1309	TT	1650	2
14.9-28	10	MNTR-222	13	378	1365	TT	2020	2.1
16.9-28	12	MNTR-222	15	432	1436	TT	2725	2.4
16.9-30	12	MNTR-222	15	432	1483	TT	2300	1.7
18.4-30	12	MNTR-222	16	469	1548	TT	2180	1.4
18.4-30	12	MNTR-222	16	469	1548	TT	3250	2.3
16.9-34	12	MNTR-111	15	431	1587	TT	2130	1.7
18.4-34	12	MNTR-111	16	169	1652	TT	2300	1.4
18.4-34	12	MNTR-111	16	469	1652	TT	2415	1.5
11.2-38	12	MNTR-111	W10s	288	1475	TT	1450	1.6
13.6-38	12	MNTR-111	12	345	1570	TT	2240	2.5
15.5-38	12	MNTR-111	14	397	1587	TT	1840	1.9
16.9-38	12	MNTR-111	15	431	1687	TT	2240	1.7
18.4-38	12	MNTR-111	16	469	1752	TT	2430	1.4
23.1-26	16	MNTR-333	20	587	1560	TL	4375	2.3
23.1-26	16	MNTR-222	20	587	1560	TL	4375	2.3

\*Specification May Vary After Final Production.

\*Pr & Pattern May Different As Real.

\*Customize Size Welcome.



# AGRICULTURE IMPLEMENT TYRES



**MNT - I1**



**MNT - 429**



**MNT - 429 A**

Size	Ply Rating	Pattern	Rim Width	CSW (MM)	OD (MM)	Load Capacity (Kg)	I.P (Bar)
9.5L-14	8	MNT-I1	7	240	735	1090	3
9.5L-15	8	MNT-I1	7	240	770	1120	3
10.0/80-12	10	MNT-429	9	265	710	1285	3.9
10.0/75-15.3	12	MNT-429	9	272	762	1700	6
10.0/75-15.3	12	MNT-429	9	272	762	1900	7
11L-14	8	MNT-I1	8	265	750	1120	2.5
11L-15*	8	MNT-I1	8	270	770	1150	2.5
11L-15	8	MNT-I1	8	255	710	1150	2.5
11L-16	10	MNT-I1	8	270	762	1310	3
11.5/80-15.3	14	MNT-429/429-A	9	295	846	2430	6.25
12.5L-15	10	MNT-I1	10	310	812	1550	3
12.5L-16	10	MNT-I1	10	310	812	1600	3
16.5L-16.1	10	MNT-I1	14	425	16.7	2360	2.5
400/60-15.5	14	MNT-I1	13	400	875	2800	3.5

\*Specification May Vary After Final Production.  
 \*Pr & Pattern May Different As Real.  
 \*Customize Size Welcome.

# SKIDSTEER / FORKLIFT / MPT TYRES



**MNT - 555**



**MNT - 666**



**MNT - FKT**

Size	Ply rating	Pattern	Rim width(inch)	CSW(mm)	OD(mm)	Load Capacity Kgs	I.P (Bar)
10-16.5	12	MNT-666	8.25	270	776	2375	6.2
12-16.5	12	MNT-666	9.75	312	825	2865	5.5
10.5/80-18	10	MNT-555	9	274	907	1550	5
12.5/80-18	12	MNT-555	9	306	989	2650	4.7
5.00-8	8	MNT-FKT	3.00D / 3.25I	138	480	950	8.25
6.00-9	10	MNT-FKT	4.00E / 5 OF	172	552	1320	8.5
6.50-10	10	MNT-FKT	5.00F / 5.50F	187	607	1500	7.75
7.00-12	14	MNT-FKT	5.00S / 5.50F	192	672	2120	9
7.00-15	12	MNT-FKT	5.5/5	202	754	2360	8.25
825-15	14	MNT-FKT	6/5.5	240	855	3250	8
28x9-15 8.15-15	14	MNT-FKT	6-Jul	220	720	2900	9
300-15	18	MNT-FKT	8-Aug	300	840	4500	7.5

\*Specification May Vary After Final Production.  
 \*Pr & Pattern May Different As Real.  
 \*Customize Size Welcome.



# LIGHT COMMERCIAL, BUS & PASSENGER CARS TYRES



**MNT - LUG**



**MNT - LUG A**



**MNT - SL A**



**MNT - SL B**



**MNT RIB**



**MNT SEMI LUG**



**MILITARY**

Size	Ply Rating	Pattern	Rim Width	Inflated		Load Capacity (Kg)	I.P (Bar)
				±0.02			
				OD (MM)	CSW (MM)		
600-16	10	MNT-RIB MNT-SL MNT-SL A MNT-MILITARY	4.50J	755	160	650	3.1
650-14	12	MNT-RIB MNT-SL	4.50J	595	148	825	4.15
F-78-15	8	MNT-RIB	5.55	685	188	825	4.15
700-15	12	MNT-RIB MNT-SL MNT-LUG	5.50 F	772	190	1180	6.2
700-16	12	MNT-RIB MNT-LUG	6	812	190	1215	6.2
750-15	12	MNT-LUG	6	805	210	1500	7.2
750-16	16	MNT-SL MNT-LUG	6	814	198	1600	7.6
825-16	16	MNT-RIB MNT-LUG MNT-LUG A	6.5	844	206	1850	7.6
<b>TRUCK BUS BIAS TYRES</b>							
<b>8.25-20</b>	<b>16</b>	<b>MNT-SL</b>	<b>6</b>	<b>974</b>	<b>236</b>	<b>2240</b>	<b>7.95</b>
9.00-20	16	MNT-RIB MNT-LUG MNT-LUG A	7	1040	266	2570	7.95
9.00-20	18	MNT-RIB MNT-LUG MNT-LUG A	7	1040	266	2650	7.95
10.00-20	16	MNT-RIB MNT-LUG MNT-LUG A	7.5	1073	280	3000	7.95
10.00-20	18	MNT-RIB MNT-LUG MNT-LUG A	7.5	1068	279	3080	7.95
11.00-20	18	MNT-RIB MNT-LUG MNT-LUG A	8	1085	293	3250	7.95
12.00-20	18	MNT-RIB MNT-LUG MNT-LUG A	8.5	1125	315	3750	7.95

\*Specification May Vary After Final Production.

\*Pr & Pattern May Different As Real.

\*Customize Size Welcome.

## 2 WHEELER TYRES



**MNT - RIB**



**MNT - STYLY**



**MNT - CTSPRT**



**MNT-BUTTON / MNT-WHB**



**MNT - CTRP**



**MNT - JUMBO**



**MNT - NGP**



**MNT - MILEAGE**



**MNT - ZAPPY**



**SD - 20**



**MNT - R - 1**

Size	Ply Rating	Pattern	Rim Width (Inch)	Inflated Dimensions (+/-) 2%		Load Capacity (Kg)	IP (Bar)
				OD (mm)	CSW (mm)		
				3.50 – 8	4 PR		
3.00 – 10	4 PR	MNT-BUTTON MNT-WHB	2.1	421	81	150	2.5
3.00 – 12	6 PR	MNT-CTGRP	2.15	464	80	121	2.3
3.75-12	6 PR	MNT-BRZ	1.85	526	80	165	2.8
3.00-14	6 PR	MNT-CTGRP MNT-BRZ	1.85	526	80	165	2.8
3.50 – 10	4 PR	MNT-R-1 MNT-BUTTON MNT-BRZ	2.5	437	92	195	2.5
2.75 – 17	6 PR	MNT-RIB MNT-STYL MNT-ZAPPY	1.85	588	75	175	2.8
2.75 – 18	4 PR	MNT-RIB MNT-CT-GRP MNT-ZAPPER MNT-MILEAGE	1.85	610	77	180	2.8
3.00 – 17	6 PR	MNT-NGP MNT-MILEAGE MNT-RIB	1.85	602	80	190	2.8
3.00 – 18	6 PR	MNT-CT-GRP MNT-ZAPPY MNT-MILEAGE	1.85	662	99	230	2.8
3.00 – 19	6 PR	MNT-RIB MNT-MILEAGE	1.85	652	82	215	2.8
3.50 – 19	6 PR	MNT-R-1	1.85	652	82	215	2.8
3.25 – 16	6 PR	MNT-RIB MNT-NGP	2.15	588	89	218	2.8
3.25 – 19	6 PR	MNT-RIB MNT-NGP	2.15	664	91	250	2.8
2.50 – 18	4 PR	MNT-MILEAGE	1.6	593	65	140	2.25
100/90-17	4 PR	MNT-CT-1 MNT-R-1	2.5	612	101	218	2.25
90/100 -10	4 PR	MNT-ZAPPY	2.15	438	92	206	2.5
90/90 – 12	6 PR	MNT-ZAPPY	2.15	467	92	212	2.5
100/90 – 18	6 PR	MNT-CT-2	2.5	641	102	224	2.25
120/80 – 17	6 PR	MNT-ZAPPY	2.75	626	121	257	2.3

\*Specification May Vary After Final Production.

\*Pr & Pattern May Different As Real.

\*Customize Size Welcome.

## 3 WHEELER TYRES



MNT - LUG



MNT - LUG 9



MNT - RIB



Size	Ply Rating (PR)	PATTERN	Rim Width	Inflated Dimensions		Load Capacity (Kg)	I.P (Bar)
				-0.02			
				OD (MM)	CSW (MM)		
4.00-8	8	MNT-RIB MNT-SL MNT-LUG MNT-LUG-9	3	415	110	400	4.25
4.00-10	6	MNT-RIB	3	466	110	437	4.25
4.00-12	6	MNT-SL 2	3	530	112	250	3.4
4.50-10	8	MNT-LUG MNT- SL A	3.5	490	125	515	5
4.50-12	8	MNT-RIB	3.5	529	122	257	2.1
5.00-10	8	MNT-RIB MNT-SL A MNT-LUG	3.5	516	134	580	5
5.00-12	8	MNT-SL A	3.5	516	134	590	5
5.20-14	6	MNT-SL A MNT-LUG	3.5	612	132	375	2.1
5.50-13	6	MNT-LUG	4	600	145	387	2.1
5.60-13	6	MNT-LUG	4	600	145	387	2.1
5.65-12	6	MNT-RIB	4	522	131	272	2.1
5.90-15	6	MNT-RIB	4	668	150	462	2.1
155/80 D-12	8	MNT-RIB MNT-LUG	4.5	546	151	412	4.5
165/80 D-13	8	MNT-LUG	4.5	597	165	670	4.5
165/80 D-14	8	MNT-LUG	4.5	620	165	575	2.4

\*Specification May Vary After Final Production.

\*Pr & Pattern May Different As Real.

\*Customize Size Welcome.

# FLOTATION TYRES



## MNT - FLT



## MNT - FLT

Type Size	Pattern	Ply Rating	Rim Width (inch.)	CSW (mm)	OD (mm)	Free Rolling	Drive Rolling	I.P (Bar)
						Load (kgs)	Load (kgs)	
400/60-22.5	MNT-FLT	16	11.75	400	1070	4000	2800	3.5
550/45-22.5	MNT-FLT	16	16	550	1070	4375	3075	2.8
550/50-22.5	MNT-FLT	12	16	550	1230	4500	3150	2.1
600/50-22.5	MNT-FLT	16	20	600	1170	5150	3650	2.6

# BUTYL TUBES

## AVAILABLE BUTYLE TUBES FOR

- ❖ 2 WHEELER TYRES
- ❖ 3 WHEELER TYRES
- ❖ LIGHT COMMERCIAL VEHICLE TYRES
- ❖ PASSENGER CARS TYRES
- ❖ TRUCK BUS TYRES
- ❖ AGRICULTURE TRACTOR TYRES
- ❖ OFF THE ROAD TYRES
- ❖ SKID STEER TYRES
- ❖ FORKLIFTS TYRES



\*Specification May Vary After Final Production.  
 \*Pr & Pattern May Different As Real.  
 \*Customize Size Welcome.



# WORLD WIDE PRESENCE



**Contact us**

## M.N.T Rubber LLP

CORP. OFF : BLD#4, 1ST FLOOR, OFF# 3&4,  
INDRAPRASTHA EXTN. DELHI-110092 (INDIA)

+91-11-44715130,

+91-9811925865

+91-9810512979

mnttyre@gmail.com, info@mnttyres.in

www.mnttyres.in

www.mntindia.in

www.mntpatch.com



**M.N.T**  
TYRES & TUBES